

MONTHLY AND ANNUAL MAXIMUM TWO-DAY PRECIPITATION

WINNEMUCCA

Note: Periods with incomplete data are listed with a dash (-)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1877	-	-	-	-	-	-	0.27	T	0.00	0.01	0.42	T	-
1878	0.08	0.36	0.48	0.21	0.91	0.26	0.50	0.45	0.63	0.07	0.14	0.01	0.91
1879	0.49	0.10	0.35	0.81	0.22	0.54	0.01	0.03	0.01	0.50	0.40	1.03	1.03
1880	0.14	0.50	0.13	0.66	0.14	0.00	T	0.02	0.00	0.00	0.08	0.84	0.84
1881	1.83	0.70	0.50	0.54	0.53	0.62	T	0.07	0.12	0.69	0.17	0.73	1.83
1882	0.32	0.64	0.40	0.53	0.50	0.55	0.01	0.00	1.02	0.86	0.35	0.32	1.02
1883	0.42	0.12	0.51	0.70	0.45	-	-	-	-	-	-	-	-
1884	-	-	-	-	-	-	-	-	-	-	-	1.35	-
1885	0.38	1.09	0.18	0.52	0.53	1.09	0.00	0.04	0.08	0.07	1.15	0.33	1.15
1886	0.30	0.20	0.33	0.42	0.12	0.76	0.58	T	0.00	0.87	0.54	0.38	0.87
1887	0.19	0.60	0.36	0.91	0.14	0.69	0.05	0.13	0.19	T	0.03	0.71	0.91
1888	0.74	0.40	0.11	0.18	0.15	0.21	0.01	T	0.12	0.08	0.37	0.51	0.74
1889	0.29	T	0.22	0.12	0.20	0.09	T	T	0.00	0.42	0.08	1.07	1.07
1890	1.40	0.55	0.84	0.60	0.72	0.07	0.01	0.10	0.47	0.12	0.00	0.60	1.40
1891	0.11	0.42	0.39	0.36	0.59	0.48	0.16	0.06	0.46	0.02	0.06	0.45	0.59
1892	0.26	0.62	0.38	0.40	0.47	0.47	0.06	T	0.13	0.16	0.16	0.30	0.62
1893	0.92	0.33	0.47	0.48	0.17	0.06	0.08	0.18	0.26	0.15	0.32	0.21	0.92
1894	0.30	0.33	0.12	0.39	0.79	0.89	0.22	0.06	0.48	0.15	0.06	0.39	0.89
1895	0.84	0.37	0.18	0.39	0.94	0.04	0.14	0.10	0.05	T	0.12	0.52	0.94
1896	0.34	0.21	0.55	0.67	0.87	0.08	0.22	0.49	0.60	0.21	0.65	0.11	0.87
1897	0.48	0.54	0.09	0.11	0.27	0.24	0.08	0.00	0.08	0.52	0.18	0.33	0.54
1898	0.20	0.14	0.40	0.31	0.53	0.12	0.02	0.09	0.24	0.37	0.54	0.60	0.60
1899	0.52	0.08	0.88	0.18	0.41	0.66	0.16	0.16	0.02	0.38	0.10	0.24	0.88
1900	0.53	0.48	0.34	0.23	1.28	0.06	0.04	T	0.12	0.20	0.69	0.05	1.28
1901	0.56	0.50	0.10	0.68	0.63	0.03	T	0.79	0.13	0.70	0.11	0.72	1.16
1902	0.06	0.56	0.21	0.30	0.09	0.09	0.78	0.02	0.68	0.02	0.41	0.06	0.78
1903	1.40	0.15	0.34	0.33	0.08	0.66	T	0.05	0.06	0.40	0.95	0.08	1.40
1904	0.21	0.57	0.45	0.11	0.20	0.06	0.50	0.44	0.64	0.82	0.08	0.31	0.82
1905	0.28	0.36	0.49	0.36	0.22	0.12	T	0.08	0.08	T	0.50	0.31	0.50
1906	1.01	0.34	0.31	0.58	0.85	0.45	0.03	0.29	0.36	T	0.42	0.49	1.01
1907	0.44	0.61	0.79	0.81	0.30	0.37	0.01	0.10	0.37	0.50	0.38	0.68	0.81
1908	0.23	0.12	0.17	0.56	0.34	0.74	0.25	0.04	1.00	0.26	0.16	0.03	1.00
1909	1.01	0.39	0.33	0.19	0.13	0.03	0.02	0.01	0.57	0.88	0.55	1.00	1.12
1910	0.28	0.34	0.08	0.37	0.27	0.09	0.05	0.00	0.70	0.47	0.51	1.05	1.05
1911	0.91	0.08	0.22	0.56	0.31	0.38	0.10	0.01	T	0.19	0.15	0.16	0.91
1912	0.11	0.21	0.31	0.39	0.19	0.79	0.40	0.11	0.22	0.67	0.71	0.09	0.79
1913	0.24	0.11	0.07	0.92	0.35	1.15	0.86	0.42	0.37	0.47	0.32	1.04	1.15
1914	0.40	0.34	0.05	0.44	0.24	1.56	0.17	T	0.35	0.31	0.02	0.27	1.56
1915	0.26	0.31	0.27	1.03	0.37	0.05	0.03	0.08	0.87	0.05	0.24	0.95	1.03
1916	0.59	0.63	0.47	0.15	0.26	0.00	0.01	0.06	0.26	0.73	0.34	0.22	0.73
1917	0.46	0.07	0.23	0.23	1.60	0.35	0.03	0.52	T	T	0.20	0.05	1.60
1918	0.54	0.28	0.62	0.45	0.40	0.84	0.16	0.26	0.56	0.22	0.54	0.32	0.84
1919	0.04	0.37	0.30	0.42	1.12	0.00	T	T	0.32	0.36	0.27	0.36	1.12
1920	0.24	0.10	0.99	0.69	0.07	0.41	T	0.64	0.39	0.22	0.62	0.31	0.99
1921	0.17	0.13	0.40	0.03	0.49	0.81	T	0.15	0.01	0.03	0.53	0.51	0.81
1922	0.68	0.93	0.26	0.23	0.34	0.14	0.33	0.33	0.00	0.31	0.31	0.94	0.94
1923	0.33	0.05	0.04	0.21	0.30	1.49	0.21	0.18	0.69	0.67	0.43	0.43	1.49
1924	0.05	0.29	0.27	0.19	0.16	T	0.31	0.01	0.13	0.23	0.30	0.80	0.80
1925	0.34	0.42	0.44	0.81	0.08	1.02	0.86	0.42	0.45	0.97	0.34	0.58	1.02

MONTHLY AND ANNUAL MAXIMUM TWO-DAY
PRECIPITATION, CONTINUED
WINNEMUCCA

Note: Periods with incomplete data are listed with a dash (-)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1926	0.28	0.48	0.05	0.47	0.37	0.19	0.07	T	0.00	0.04	0.37	0.37	0.56
1927	0.30	0.60	0.52	0.25	0.62	0.61	0.21	0.20	0.10	0.40	0.40	0.59	0.62
1928	0.17	0.07	0.97	0.46	0.04	0.36	0.16	0.02	0.10	0.25	0.15	0.13	0.97
1929	0.26	0.46	0.35	0.52	0.05	0.14	0.01	0.06	0.06	0.01	0.00	0.30	0.52
1930	0.69	0.29	0.55	0.17	0.92	0.03	0.04	0.22	0.58	0.21	0.74	0.06	0.92
1931	0.05	0.28	0.10	0.23	0.13	0.69	0.12	0.15	0.20	0.28	0.34	0.43	0.69
1932	0.46	0.31	0.54	0.64	0.50	0.69	0.24	0.17	0.01	0.06	0.08	0.27	0.69
1933	0.41	0.27	0.68	0.12	0.26	0.01	0.06	0.09	0.34	1.07	0.09	0.36	1.07
1934	0.27	0.61	0.42	0.57	0.23	0.61	0.02	0.01	0.25	0.52	0.41	0.70	0.70
1935	0.46	0.57	0.39	1.19	1.28	T	0.01	0.01	T	0.29	0.37	0.63	1.28
1936	0.82	0.79	0.21	0.37	0.13	0.26	0.61	0.12	0.75	0.47	T	0.65	0.82
1937	0.48	0.77	0.58	0.53	0.49	0.07	0.25	0.00	0.06	0.26	0.86	0.63	0.86
1938	0.53	0.34	0.35	0.74	0.48	0.63	1.00	0.04	0.17	1.10	0.13	0.05	1.10
1939	0.50	0.27	0.38	0.08	0.71	0.11	0.04	0.04	0.13	1.46	0.16	0.67	1.46
1940	0.53	0.42	0.61	0.40	0.02	0.29	0.11	0.28	0.65	1.11	0.46	0.74	1.11
1941	0.47	0.37	0.22	0.50	1.33	0.74	0.62	0.38	0.06	0.78	0.89	0.36	1.33
1942	0.45	0.38	0.37	0.41	0.62	0.34	0.06	T	0.02	0.16	0.79	1.40	1.40
1943	0.68	0.42	0.32	0.35	0.22	0.19	0.02	T	T	0.32	0.19	0.39	0.68
1944	0.50	0.62	0.16	0.38	0.54	1.68	0.01	T	0.30	0.06	0.53	0.31	1.68
1945	0.62	1.45	0.57	0.18	0.54	1.13	0.45	0.13	0.30	0.47	0.45	0.62	1.45
1946	0.19	0.17	1.00	0.21	0.69	0.01	0.76	0.05	0.30	1.34	0.30	0.48	1.39
1947	0.23	0.23	0.13	0.29	0.57	0.20	0.00	0.01	0.03	0.23	0.57	0.20	0.57
1948	0.17	0.28	0.36	0.45	0.56	0.89	T	T	0.04	0.54	0.12	0.35	0.89
1949	0.39	0.19	0.28	0.09	0.66	0.30	T	0.09	0.21	0.39	0.41	0.14	0.66
1950	0.36	0.28	0.40	0.19	0.15	0.59	0.63	0.14	0.48	0.45	1.59	0.44	1.59
1951	0.53	0.32	0.16	0.47	0.21	T	0.07	0.17	T	1.71	0.38	0.58	1.71
1952	0.67	0.38	0.43	0.24	0.35	0.98	0.41	0.01	0.93	T	0.10	0.23	0.98
1953	0.40	0.45	0.09	0.16	0.38	0.44	T	0.02	0.02	0.27	0.28	0.51	0.55
1954	0.29	0.26	0.35	0.17	0.08	0.19	0.04	T	T	0.11	0.12	0.31	0.35
1955	0.34	0.11	0.27	0.13	0.49	0.33	0.05	0.04	0.17	0.07	0.54	0.83	0.83
1956	0.87	0.23	0.04	0.39	0.66	0.03	0.11	T	0.41	0.40	0.06	0.25	0.87
1957	0.29	0.24	0.38	0.79	1.04	0.19	T	T	0.20	0.84	0.45	0.32	1.04
1958	0.24	0.37	0.25	1.01	0.02	1.88	0.09	0.88	0.05	0.04	0.71	0.21	1.88
1959	0.14	0.61	0.06	0.06	0.32	0.37	T	0.38	0.50	0.02	T	0.25	0.61
1960	0.31	0.85	0.27	0.41	0.35	T	0.24	0.08	0.66	0.34	0.88	0.26	0.88
1961	0.03	0.38	0.71	0.09	0.27	0.31	0.26	0.48	0.79	0.40	0.54	0.40	0.79
1962	0.47	0.73	0.30	0.18	0.17	0.32	T	0.14	0.02	0.42	0.43	0.20	0.73
1963	0.69	0.49	0.10	0.46	0.69	1.09	0.00	0.70	0.21	0.36	0.36	0.48	1.09
1964	0.42	0.11	0.45	0.51	0.53	1.40	0.40	0.43	0.03	0.38	0.44	0.54	1.40
1965	0.54	0.28	0.28	0.33	0.32	0.56	0.18	0.31	0.10	0.17	0.43	0.19	0.56
1966	0.02	0.32	0.24	0.28	0.29	0.38	0.01	0.01	0.21	0.01	0.41	0.45	0.45
1967	0.34	0.04	0.47	0.52	0.14	0.67	0.37	T	0.14	0.04	0.40	0.16	0.67
1968	0.52	0.31	0.22	0.35	0.15	0.49	T	0.44	0.00	0.49	1.09	0.81	1.09
1969	0.36	0.57	0.21	0.76	T	0.66	0.01	0.00	0.01	0.68	0.09	1.16	1.16
1970	0.49	0.19	0.46	0.71	0.22	0.65	0.22	0.40	0.05	0.21	0.42	0.30	0.71
1971	0.10	0.12	0.28	0.74	0.77	1.00	0.02	0.14	0.24	0.19	0.70	0.42	1.00
1972	0.07	0.55	0.32	0.27	0.15	0.45	0.02	T	0.21	0.82	0.38	0.34	0.82
1973	0.55	0.28	0.37	0.58	0.66	0.05	0.05	0.05	0.29	0.46	0.20	0.51	0.66
1974	0.21	0.25	0.41	0.28	T	0.00	0.27	0.38	0.00	1.14	0.06	0.33	1.14

MONTHLY AND ANNUAL MAXIMUM TWO-DAY PRECIPITATION, CONTINUED

WINNEMUCCA

Note: Periods with incomplete data are listed with a dash (-)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1975	0.34	0.18	0.44	0.15	0.66	0.53	0.06	0.76	0.16	0.59	0.12	0.15	0.76
1976	0.21	0.22	0.12	0.49	0.36	1.03	0.27	0.57	0.92	0.43	0.16	0.03	1.03
1977	0.31	0.09	0.12	0.20	0.49	1.98	0.25	0.41	0.10	T	0.34	0.40	1.98
1978	0.21	0.24	0.28	0.80	0.24	0.04	0.12	T	0.87	T	0.35	0.17	0.87
1979	0.52	0.41	0.48	0.31	0.18	0.39	0.72	1.06	T	0.40	0.34	0.22	1.06
1980	0.78	0.19	0.35	0.17	0.72	0.41	0.13	0.16	0.14	0.13	0.30	0.12	0.78
1981	0.28	0.36	0.33	0.11	0.70	T	0.01	0.03	0.21	0.61	0.84	0.42	0.84
1982	0.14	0.04	0.72	0.26	0.10	0.98	0.86	0.05	0.47	0.42	0.96	0.20	0.98
1983	0.62	0.35	0.43	0.28	0.27	0.32	0.72	0.69	0.44	0.38	0.50	0.87	0.87
1984	0.06	0.36	0.55	0.43	1.35	0.39	0.91	0.07	0.59	0.56	0.55	0.26	1.35
1985	0.73	0.21	0.34	0.14	T	0.03	0.20	0.02	0.29	0.15	0.97	0.61	0.97
1986	0.12	0.36	0.13	0.53	0.69	0.08	0.02	0.27	0.35	0.66	0.07	0.06	0.69
1987	0.25	0.21	0.44	0.35	1.71	0.33	0.13	T	T	0.56	0.27	0.47	1.71
1988	0.82	0.22	0.10	0.74	0.21	0.35	0.07	0.17	0.28	0.04	0.70	0.21	0.82
1989	0.12	0.34	0.21	0.14	0.37	0.32	T	0.33	0.58	0.36	0.54	0.10	0.58
1990	0.19	0.16	0.45	0.43	0.44	0.21	0.08	0.86	0.16	0.03	0.10	0.26	0.86
1991	0.17	0.17	0.46	0.20	0.65	0.51	0.09	0.20	0.81	0.48	0.33	0.45	0.81
1992	0.09	0.09	0.59	0.04	0.01	0.28	0.07	0.03	0.07	0.24	0.36	0.46	0.59
1993	0.75	0.26	0.57	0.14	0.43	0.65	0.18	0.03	0.02	0.40	0.09	0.17	0.75
1994	0.22	0.24	0.32	0.45	0.51	0.00	0.38	0.02	0.19	0.29	1.03	0.26	1.03
1995	0.58	0.11	0.46	0.68	0.95	0.50	0.15	0.00	0.06	T	0.10	0.90	0.95
1996	0.55	0.67	0.30	0.29	0.66	0.42	0.14	0.07	0.47	0.25	0.31	1.07	1.07
1997	0.58	0.04	0.05	0.67	0.30	1.02	0.24	0.01	0.19	0.21	0.34	0.18	1.02
1998	0.62	0.40	0.33	1.10	1.44	0.38	0.04	T	1.33	1.07	0.19	0.37	1.44
1999	0.54	0.35	0.03	0.36	0.19	0.75	0.01	0.06	0.12	0.21	0.10	0.08	0.75
2000	0.67	0.41	0.43	0.81	0.93	0.01	0.05	0.29	0.45	0.69	0.12	0.19	0.93
2001	0.24	0.34	0.15	0.39	0.09	0.02	0.13	0.01	0.22	0.11	0.39	0.27	0.39
2002	0.36	0.83	0.40	0.32	0.33	0.14	T	T	0.14	0.07	0.92	0.19	0.92
2003	0.70	0.18	0.44	0.37	0.93	0.01	0.16	0.09	0.38	0.08	0.34	0.57	0.93
2004	0.23	0.39	0.02	0.25	0.36	0.21	0.06	0.07	0.20	0.66	0.65	0.38	0.66
2005	0.50	0.20	0.95	0.14	0.73	0.28	T	T	0.19	0.35	0.31	0.85	0.95
2006	0.91	0.15	0.45	1.92	0.32	0.53	0.04	T	0.04	0.24	0.26	0.42	1.92
2007	0.24	0.53	0.08	0.43	0.38	0.27	0.05	0.03	0.22	0.27	0.45	0.35	0.53
2008	0.21	0.46	0.20	0.20	0.65	0.37	0.34	0.01	0.01	0.11	0.17	0.50	0.65
2009	0.83	0.12	0.43	0.50	0.43	0.33	0.34	0.17	0.02	0.32	0.20	0.51	0.83
2010	0.33	0.14	0.71	1.24	0.77	T	0.16	0.10	0.22	1.46	0.63	0.46	1.46
2011	0.14	0.58	0.90	0.63	0.53	0.28	0.11	0.01	0.15	0.44	0.21	0.01	0.90
2012	0.38	0.35	0.78	0.38	0.13	0.14	0.03	0.06	0.02	0.41	0.09	0.51	0.78

Stat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Max	1.83	1.45	1.00	1.92	1.71	1.98	1.00	1.06	1.33	1.71	1.59	1.40	1.98
Min	0.02	T	0.02	0.03	T	0.00	0.00	0.00	0.00	0.00	0.00	T	0.35
Mean	0.42	0.35	0.36	0.43	0.45	0.43	0.17	0.16	0.27	0.38	0.38	0.43	0.97
Medn	0.36	0.34	0.35	0.39	0.37	0.34	0.08	0.06	0.19	0.32	0.34	0.37	0.91
StDv	0.29	0.23	0.22	0.28	0.35	0.41	0.23	0.22	0.27	0.34	0.28	0.29	0.33